

§ 90-89. Schedule I controlled substances.

This schedule includes the controlled substances listed or to be listed by whatever official name, common or usual name, chemical name, or trade name designated. In determining that a substance comes within this schedule, the Commission shall find: a high potential for abuse, no currently accepted medical use in the United States, or a lack of accepted safety for use in treatment under medical supervision. The following controlled substances are included in this schedule:

- (1) Opiates. – Any of the following opiates or opioids, including the isomers, esters, ethers, salts and salts of isomers, esters, and ethers, unless specifically excepted, or listed in another schedule, whenever the existence of such isomers, esters, ethers, and salts is possible within the specific chemical designation:
 - a. Acetyl-alpha-methylfentanyl
(N[1-(1-methyl-2-phenethyl)-4/y-piperidinyl]-N-phenylacet amide).
 - b. Acetylmethadol.
 - c. Repealed by Session Laws 1987, c. 412, s. 2.
 - d. Alpha-methylthiofentanyl
(N-[1-methyl-2-(2-thienyl)ethyl]-4/y-piperidinyl]-N-phenylpropanamide).
 - e. Allylprodine.
 - f. Alphacetylmethadol (except levo-alphacetylmethadol, also known as levomethadyl acetate and LAAM).
 - g. Alphameprodine.
 - h. Alphamethadol.
 - i. Alpha-methylfentanyl (N-(1-(alpha-methyl-beta-phenyl)ethyl-4-piperidyl) propionalilide;
1(1-methyl-2-phenyl-ethyl)-4-(N-propanilido) piperidine).
 - j. Benzethidine.
 - k. Betacetylmethadol.
 - l. Beta-hydroxfentanyl
(N-[1-(2-hydroxy-2-phenethyl)-4-piperidinyl]-N-phenylpropanamid).
 - m. Beta-hydroxy-3-methylfentanyl
(N-[1-(2-hydroxy-2-phenethyl)-3-methyl-4-piperidinyl]-N-phenylpropanamide).
 - n. Betameprodine.
 - o. Betamethadol.
 - p. Betaprodine.
 - q. Clonitazene.
 - r. Dextromoramide.
 - s. Diampromide.
 - t. Diethylthiambutene.
 - u. Difenoxin.
 - v. Dimenoxadol.
 - w. Dimepheptanol.
 - x. Dimethylthiambutene.
 - y. Dioxaphetyl butyrate.
 - z. Dipipanone.
 - aa. Ethylmethylthiambutene.
 - bb. Etonitazene.
 - cc. Etoxidine.

- dd. Furethidine.
- ee. Hydroxypethidine.
- ff. Ketobemidone.
- gg. Levomoramide.
- hh. Levophenacylmorphan.
- ii. 1-methyl-4-phenyl-4-propionoxypiperidine (MPPP).
- jj. 3-Methylfentanyl
(N-[3-methyl-1-(2-Phenylethyl)-4-Pi-peridyl]-N-Phenylpropanamide).
- kk. 3-Methylthiofentanyl
(N-[(3-methyl-1-(2-thienyl)ethyl)/y-4-piperidinyl]-N-phenylpropanamide).
- ll. Morpheridine.
- mm. Noracymethadol.
- nn. Norlevorphanol.
- oo. Normethadone.
- pp. Norpipanone.
- qq. Para-fluorofentanyl
(N-(4-fluorophenyl)-N-[1-(2-phen-ethyl)-4-piperidinyl]-propanamide).
- rr. Phenadoxone.
- ss. Phenampromide.
- tt. 1-(2-phenethyl)-4-phenyl-4-acetoxypiperidine (PEPAP).
- uu. Phenomorphan.
- vv. Phenoperidine.
- ww. Piritramide.
- xx. Proheptazine.
- yy. Properidine.
- zz. Propiram.
- aaa. Racemoramide.
- bbb. Thiofentanyl
(N-phenyl-N-[1-(2-thienyl)ethyl-4-piperidinyl]-propanamide).
- ccc. Tilidine.
- ddd. Trimeperidine.
- eee. Acetyl Fentanyl.
- fff. Trans-3,4-dichloro-N-(2(dimethylamino)cyclohexyl)-N-methylbenzamide (U47700).
- ggg. 3,4-dichloro-N([1(dimethylamino)cyclohexyl)methyl)benzamide; 1-(3,4-dichlorobenzamidomethyl)cyclohexyldimethylamine) (also known as AH-7921).
- hhh. 3,4-dichloro-N-([diethylamino)cyclohexyl]-N-methylbenzamide (also known as U-49900).
- iii. U-77891.
- jjj. 1-phenylethylpiperidylidene-2-(4-chlorophenyl)sulfonamide; 1-(4-nitrophenylethyl)piperidylidene-2-(4-chlorophenyl)sulfonamide; 4-chloro-N-[1-[2-(4-nitrophenyl)ethyl]-2-piperidinylidene]/y-benzenesulfonamide (also known as W-18).
- kkk. 1-phenylethylpiperidylidene-2-(4-chlorophenyl)sulfonamide; 4-chloro-N-[1-(2-phenylethyl)-2-piperidinylidene]-benzenesulfonamide (also known as W-15).

- iii. 1-cyclohexyl-4-(1,2-diphenylethyl)piperazine (also known as MT-45).
- (1a) Fentanyl derivatives. – Any compounds structurally derived from N-[1-(2-phenylethyl)-4-piperidinyl]-N-phenylpropanamide (Fentanyl) by any substitution on or replacement of the phenethyl group, any substitution on the piperidine ring, any substitution on or replacement of the propanamide group, any substitution on the anilido phenyl group, or any combination of the above unless specifically excepted or listed in another schedule to include their salts, isomers, and salts of isomers. Fentanyl derivatives include, but are not limited to, the following:
- a. N-(1-phenylethylpiperidin-4-yl)-N-phenylfuran-2-carboxamide (also known as Furanyl Fentanyl).
 - b. N-(1-phenethylpiperidin-4-yl)-N-phenylbutyramide;
N-(1-phenethylpiperidin-4-yl)-N-phenylbutanamide (also known as Butyryl Fentanyl).
 - c. N-[1-[2-hydroxy-2-(thiophen-2-yl)ethyl]piperidin-4-yl]-N-phenylpropionamide; N-[1-[2-hydroxy-2-(2-thienyl)ethyl]-4-piperidinyl]N-phenylpropanamide (also known as Beta-Hydroxythiofentanyl).
 - d. N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-2propenamide (also known as Acrylfentanyl).
 - e. N-phenyl-N-[1-(2-phenylethyl)-4-piperidinyl]-pentanamide (also known as Valeryl Fentanyl).
 - f. N-(2-fluorophenyl)-N-[1-(2-phenylethyl)-4-piperidinyl]-propanamide (also known as 2-fluorofentanyl).
 - g. N-(3-fluorophenyl)-N-[1-(2-phenylethyl)-4-piperidinyl]-propanamide (also known as 3-fluorofentanyl).
 - h. N-(1-phenethylpiperidin-4-yl)-N-phenyltetrahydrofuran-2-carboxamide (also known as tetrahydrofuran fentanyl).
 - i. N-(4-fluorophenyl)-2-methyl-N-[1-(2-phenylethyl)-4-piperidinyl]-propanamide (also known as 4-fluoroisobutyryl fentanyl, 4-FIBF).
 - j. N-(4-fluorophenyl)-N-[1-(2-phenylethyl)-4-piperidinyl]-butanamide (also known as 4-fluorobutyryl fentanyl, 4-FBF).
- (2) Opium derivatives. – Any of the following opium derivatives, including their salts, isomers, and salts of isomers, unless specifically excepted, or listed in another schedule, whenever the existence of such salts, isomers, and salts of isomers is possible within the specific chemical designation:
- a. Acetorphine.
 - b. Acetyldihydrocodeine.
 - c. Benzylmorphine.
 - d. Codeine methylbromide.
 - e. Codeine-N-Oxide.
 - f. Cyprenorphine.
 - g. Desomorphine.
 - h. Dihydromorphine.
 - i. Etorphine (except hydrochloride salt).
 - j. Heroin.
 - k. Hydromorphanol.
 - l. Methyldesorphine.

- m. Methyl dihydromorphine.
 - n. Morphine methylbromide.
 - o. Morphine methylsulfonate.
 - p. Morphine-N-Oxide.
 - q. Myrophine.
 - r. Nicocodeine.
 - s. Nicomorphine.
 - t. Normorphine.
 - u. Pholcodine.
 - v. Thebacon.
 - w. Drotebanol.
- (3) Hallucinogenic substances. – Any material, compound, mixture, or preparation which contains any quantity of the following hallucinogenic substances, including their salts, isomers, and salts of isomers, unless specifically excepted, or listed in another schedule, whenever the existence of such salts, isomers, and salts of isomers is possible within the specific chemical designation:
- a. 3, 4-methylenedioxyamphetamine.
 - b. 5-methoxy-3, 4-methylenedioxyamphetamine.
 - c. 3, 4-Methylenedioxymethamphetamine (MDMA).
 - d. 3, 4-methylenedioxy-N-ethylamphetamine (also known as N-ethyl-alpha-methyl-3, 4-(methylenedioxy) phenethylamine, N-ethyl MDA, MDE, and MDEA).
 - e. N-hydroxy-3, 4-methylenedioxyamphetamine (also known as N-hydroxy/y-alpha-methyl-3, 4-(methylenedioxy) phenethylamine, and N-hydroxy MDA).
 - f. 3, 4, 5-trimethoxyamphetamine.
 - g. Alpha-ethyltryptamine. Some trade or other names: etryptamine, Monase, alpha-ethyl-1H-indole-3-ethanamine, 3-(2-aminobutyl) indole, alpha-ET, and AET.
 - h. Bufotenine.
 - i. Diethyltryptamine.
 - j. Dimethyltryptamine.
 - k. 4-methyl-2, 5-dimethoxyamphetamine.
 - l. Ibogaine.
 - m. Lysergic acid diethylamide.
 - n. Mescaline.
 - o. Peyote, meaning all parts of the plant presently classified botanically as *Lophophora Williamsii* Lemaire, whether growing or not; the seeds thereof; any extract from any part of such plant; and every compound, manufacture, salt, derivative, mixture or preparation of such plant, its seed or extracts.
 - p. N-ethyl-3-piperidyl benzilate.
 - q. N-methyl-3-piperidyl benzilate.
 - r. Psilocybin.
 - s. Psilocin.
 - t. 2, 5-dimethoxyamphetamine.
 - u. 2, 5-dimethoxy-4-ethylamphetamine. Some trade or other names: DOET.
 - v. 4-bromo-2, 5-dimethoxyamphetamine.

- w. 4-methoxyamphetamine.
 - x. Ethylamine analog of phencyclidine. Some trade or other names: N-ethyl-1-phenylcyclohexylamine, (1-phenylcyclohexyl) ethylamine, N-(1-phenylcyclohexyl) ethylamine, cyclohexamine, PCE.
 - y. Pyrrolidine analog of phencyclidine. Some trade or other names: 1-(1-phenylcyclohexyl)-pyrrolidine, PCPy, PHP.
 - z. Thiophene analog of phencyclidine. Some trade or other names: 1-[1-(2-thienyl)-cyclohexyl]-piperidine, 2-thienyl analog of phencyclidine, TCP, TCP.
 - aa. 1-[1-(2-thienyl)cyclohexyl]pyrrolidine; Some other names: TCPy.
 - bb. Parahexyl.
 - cc. 4-Bromo-2, 5-Dimethoxyphenethylamine.
 - dd. Alpha-Methyltryptamine.
 - ee. 5-Methoxy-n-diisopropyltryptamine.
 - ff. Methoxetamine (other names: MXE, 3-MeO-2-Oxo-PCE).
 - gg. BTCP (Benzothiophenylcyclohexylpiperidine).
 - hh. Deschloroketamine.
 - jj. 3-MeO-PCP (3-methoxyphencyclidine).
 - kk. 4-hydroxy-MET.
 - ll. 4-OH-MiPT (4-hydroxy-N-methyl-N-isopropyltryptamine).
 - mm. 5-methoxy-N-methyl-N-propyltryptamine (5-MeO-MiPT).
- (4) Systemic depressants. – Any material compound, mixture, or preparation which contains any quantity of the following substances having a depressant effect on the central nervous system, including its salts, isomers, and salts of isomers whenever the existence of such salts, isomers, and salts of isomers is possible within the specific chemical designation, unless specifically excepted or unless listed in another schedule:
- a. Mecloqualone.
 - b. Methaqualone.
 - c. Gamma hydroxybutyric acid; Some other names: GHB, gamma-hydroxybutyrate, 4-hydroxybutyrate, 4-hydroxybutanoic acid; sodium oxybate; sodium oxybutyrate.
 - d. Etizolam.
 - e. Flubromazepam.
 - f. Phenazepam.
- (5) Stimulants. – Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation that contains any quantity of the following substances having a stimulant effect on the central nervous system, including its salts, isomers, and salts of isomers:
- a. Aminorex. Some trade or other names: aminoxaphen; 2-amino-5-phenyl-2-oxazoline; or 4,5-dihydro-5-phenyl-2-oxazolamine.
 - b. Cathinone. Some trade or other names: 2-amino-1-phenyl-1-propanone, alpha-aminopropiophenone, 2-aminopropiophenone, and norephedrone.
 - c. Fenethylamine.
 - d. Methcathinone. Some trade or other names: 2-(methylamino)-propiophenone, alpha-(methylamino)propiophenone, 2-(methylamino)-1-phenylpropan-1-one,

- alpha-N-methylamino-propiofenone, monomethylpropion, ephedrone, N-methylcathinone, methylcathinone, AL-464, AL-422, AL-463, and UR1432.
- e. (+-)-cis-4-methylaminorex [(+)-cis-4,5-dihydro-4-methyl-5-phenyl-2-oxazolamine] (also known as 2-amino-4-methyl-5-phenyl-2-oxazoline).
 - f. N,N-dimethylamphetamine. Some other names: N,N,alpha-tri-methylbenzeneethaneamine; N,N,alpha-trimethylphenethylamine.
 - g. N-ethylamphetamine.
 - h. 4-methylmethcathinone (also known as mephedrone).
 - i. 3,4-Methylenedioxypropylamphetamine (also known as MDPV).
 - j. Substituted cathinones. A compound, other than bupropion, that is structurally derived from 2-amino-1-phenyl-1-propanone by modification in any of the following ways: (i) by substitution in the phenyl ring to any extent with alkyl, alkoxy, alkylendioxy, haloalkyl, or halide substituents, whether or not further substituted in the phenyl ring by one or more other univalent substituents; (ii) by substitution at the 3-position to any extent; or (iii) by substitution at the nitrogen atom with alkyl, dialkyl, benzyl, or methoxybenzyl groups or by inclusion of the nitrogen atom in a cyclic structure.
 - k. N-Benzylpiperazine.
 - l. 2,5 – Dimethoxy-4-(n)-propylthiophenethylamine.
- (6) NBOMe compounds. – Any material compound, mixture, or preparation which contains any quantity of the following substances, including its salts, isomers, and salts of isomers whenever the existence of such salts, isomers, and salts of isomers is possible within the specific chemical designation unless specifically excepted or unless listed in another schedule:
- a. 25B-NBOMe
(2C-B-NBOMe)-2-(4-Bromo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine.
 - b. 25C-NBOMe
(2C-C-NBOMe)-2-(4-Chloro-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine.
 - c. 25D-NBOMe
(2C-D-NBOMe)-2-(2,5-dimethoxy-4-methylphenyl)-N-(2-methoxybenzyl)ethanamine.
 - d. 25E-NBOMe
(2C-E-NBOMe)-2-(4-Ethyl-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine.
 - e. 25G-NBOMe
(2C-G-NBOMe)-2-(2,5-dimethoxy-3,4-dimethylphenyl)-N-(2-methoxybenzyl)ethanamine.
 - f. 25H-NBOMe
(2C-H-NBOMe)-2-(2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine.
 - g. 25I-NBOMe
(2C-I-NBOMe)-2-(4-Iodo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine.

- h. 25N-NBOMe
(2C-N-NBOMe)-2-(2,5-dimethoxy-4-nitrophenyl)-N-(2-methoxybenzyl)ethanamine.
 - i. 25P-NBOMe
(2C-P-NBOMe)-2-(4-Propyl-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine.
 - j. 25T2-NBOMe
(2C-T2-NBOMe)-2,5-dimethoxy-N-[(2-methoxyphenyl)methyl]-4-(methylthio)-benzeneethanamine.
 - k. 25T4-NBOMe
(2C-T4-NBOMe)-2,5-dimethoxy-N-[(2-methoxyphenyl)methyl]-4-[(1-methylethyl)thio]-benzeneethanamine.
 - l. 25T7-NBOMe
(2C-T7-NBOMe)-2,5-dimethoxy-N-[(2-methoxyphenyl)methyl]-4-(propylthio)-benzeneethanamine.
- (7) Synthetic cannabinoids. – Any quantity of any synthetic chemical compound that (i) is a cannabinoid receptor agonist and mimics the pharmacological effect of naturally occurring substances or (ii) has a stimulant, depressant, or hallucinogenic effect on the central nervous system that is not listed as a controlled substance in Schedules I through V, and is not an FDA-approved drug. Synthetic cannabinoids include, but are not limited to, the substances listed in sub-subdivisions a. through p. of this subdivision and any substance that contains any quantity of their salts, isomers (whether optical, positional, or geometric), homologues, and salts of isomers and homologues, unless specifically excepted, whenever the existence of these salts, isomers, homologues, and salts of isomers and homologues is possible within the specific chemical designation. The following substances are examples of synthetic cannabinoids and are not intended to be inclusive of the substances included in this Schedule:
- a. Naphthoylindoles. Any compound containing a 3-(1-naphthoyl)indole structure with substitution at the nitrogen atom of the indole ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, or 2-(4-morpholinyl)ethyl group, whether or not further substituted in the indole ring to any extent and whether or not substituted in the naphthyl ring to any extent. Some trade or other names: JWH-015, JWH-018, JWH-019, JWH-073, JWH-081, JWH-122, JWH-200, JWH-210, JWH-398, AM-2201, and WIN 55-212.
 - b. Naphthylmethylindoles. Any compound containing a 1H-indol-3-yl-(1-naphthyl)methane structure with substitution at the nitrogen atom of the indole ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, or 2-(4-morpholinyl)ethyl group, whether or not further substituted in the indole ring to any extent and whether or not substituted in the naphthyl ring to any extent.
 - c. Naphthoylpyrroles. Any compound containing a 3-(1-naphthoyl)pyrrole structure with substitution at the nitrogen atom of the pyrrole ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, or 2-(4-morpholinyl)ethyl group, whether or not further substituted in the

- pyrrole ring to any extent and whether or not substituted in the naphthyl ring to any extent. Another name: JWH-307.
- d. Naphthylmethylenes. Any compound containing a naphthylideneindene structure with substitution at the 3-position of the indene ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, or 2-(4-morpholinyl)ethyl group, whether or not further substituted in the indene ring to any extent and whether or not substituted in the naphthyl ring to any extent.
 - e. Phenylacetylindoles. Any compound containing a 3-phenylacetylindole structure with substitution at the nitrogen atom of the indole ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, or 2-(4-morpholinyl)ethyl group, whether or not further substituted in the indole ring to any extent and whether or not substituted in the phenyl ring to any extent. Some trade or other names: SR-18, RCS-8, JWH-250, and JWH-203.
 - f. Cyclohexylphenols. Any compound containing a 2-(3-hydroxycyclohexyl)phenol structure with substitution at the 5-position of the phenolic ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, or 2-(4-morpholinyl)ethyl group, whether or not substituted in the cyclohexyl ring to any extent. Some trade or other names: CP 47,497 (and homologues), cannabicyclohexanol.
 - g. Benzoylindoles. Any compound containing a 3-(benzoyl)indole structure with substitution at the nitrogen atom of the indole ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, or 2-(4-morpholinyl)ethyl group, whether or not further substituted in the indole ring to any extent and whether or not substituted in the phenyl ring to any extent. Some trade or other names: AM-694, Pravadoline (WIN 48,098), and RCS-4.
 - h. 2,3-Dihydro-5-methyl-3-(4-morpholinylmethyl)pyrrolo[1,2,3-de]-1,4-benzoxazin-6-yl]-1-naphthalenylmethanone. Some trade or other name: WIN 55,212-2.
 - i. (6aR,10aR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)-6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol 7370. Some trade or other name: HU-210.
 - j. 3-(cyclopropylmethanone) indole or 3-(cyclobutylmethanone) indole or 3-(cyclopentylmethanone) indole by substitution at the nitrogen atom of the indole ring, whether or not further substituted in the indole ring to any extent, whether or not further substituted on the cyclopropyl, cyclobutyl, or cyclopentyl rings to any extent. Substances in this class include, but are not limited to: UR-144, fluoro-UR-144, XLR-11, A-796,260, and A-834,735.
 - k. Indole carboxaldehydes. Any compound structurally derived from 1H-indole-3-carboxaldehyde or 1H-indole-2-carboxaldehyde substituted in both of the following ways:

1. At the nitrogen atom of the indole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, tetrahydropyranylmethyl, benzyl, or halo benzyl group; and
 2. At the carbon of the carboxaldehyde by a phenyl, benzyl, naphthyl, adamantyl, cyclopropyl, or propionaldehyde group; whether or not the compound is further modified to any extent in the following ways: (i) substitution to the indole ring to any extent, (ii) substitution to the phenyl, benzyl, naphthyl, adamantyl, cyclopropyl, or propionaldehyde group to any extent, (iii) a nitrogen heterocyclic analog of the indole ring, or (iv) a nitrogen heterocyclic analog of the phenyl, benzyl, naphthyl, adamantyl, or cyclopropyl ring. Substances in this class include, but are not limited to: AB-001.
- l.* Indole carboxamides. Any compound structurally derived from 1H-indole-3-carboxamide or 1H-indole-2-carboxamide substituted in both of the following ways:
1. At the nitrogen atom of the indole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, tetrahydropyranylmethyl, benzyl, or halo benzyl group; and
 2. At the nitrogen of the carboxamide by a phenyl, benzyl, naphthyl, adamantyl, cyclopropyl, or propionaldehyde group; whether or not the compound is further modified to any extent in the following ways: (i) substitution to the indole ring to any extent, (ii) substitution to the phenyl, benzyl, naphthyl, adamantyl, cyclopropyl, or propionaldehyde group to any extent, (iii) a nitrogen heterocyclic analog of the indole ring, or (iv) a nitrogen heterocyclic analog of the phenyl, benzyl, naphthyl, adamantyl, or cyclopropyl ring. Substances in this class include, but are not limited to: SDB-001 and STS-135.
- m.* Indole carboxylic acids. Any compound structurally derived from 1H-indole-3-carboxylic acid or 1H-indole-2-carboxylic acid substituted in both of the following ways:
1. At the nitrogen atom of the indole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, tetrahydropyranylmethyl, benzyl, or halo benzyl group; and
 2. At the nitrogen of the carboxamide by a phenyl, benzyl, naphthyl, adamantyl, cyclopropyl, or propionaldehyde group; whether or not the compound is further modified to any extent in the following ways: (i) substitution to the indole ring to any extent, (ii) substitution to the phenyl, benzyl, naphthyl, adamantyl, cyclopropyl, or propionaldehyde group to any extent, (iii) a nitrogen heterocyclic analog of the indole ring, or (iv) a nitrogen heterocyclic analog of the phenyl, benzyl,

- naphthyl, adamantyl, or cyclopropyl ring. Substances in this class include, but are not limited to: SDB-001 and STS-135.
- whether or not the compound is further modified to any extent in the following ways: (i) substitution to the indole ring to any extent, (ii) substitution to the phenyl, benzyl, naphthyl, adamantyl, cyclopropyl, or propionaldehyde group to any extent, (iii) a nitrogen heterocyclic analog of the indole ring, or (iv) a nitrogen heterocyclic analog of the phenyl, benzyl, naphthyl, adamantyl, or cyclopropyl ring. Substances in this class include, but are not limited to: PB-22 and fluoro-PB-22.
- n. Indazole carboxaldehydes. Any compound structurally derived from 1H-indazole-3-carboxaldehyde or 1H-indazole-2-carboxaldehyde substituted in both of the following ways:
1. At the nitrogen atom of the indazole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, tetrahydropyranylmethyl, benzyl, or halo benzyl group; and
 2. At the carbon of the carboxaldehyde by a phenyl, benzyl, whether or not the compound is further modified to any extent in the following ways: (i) substitution to the indazole ring to any extent, (ii) substitution to the phenyl, benzyl, naphthyl, adamantyl, cyclopropyl, or propionaldehyde group to any extent, (iii) a nitrogen heterocyclic analog of the indazole ring, or (iv) a nitrogen heterocyclic analog of the phenyl, benzyl, naphthyl, adamantyl, or cyclopropyl ring.
- o. Indazole carboxamides. Any compound structurally derived from 1H-indazole-3-carboxamide or 1H-indazole-2-carboxamide substituted in both of the following ways:
1. At the nitrogen atom of the indazole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, tetrahydropyranylmethyl, benzyl, or halo benzyl group; and
 2. At the nitrogen of the carboxamide by a phenyl, benzyl, naphthyl, adamantyl, cyclopropyl, or propionaldehyde group; whether or not the compound is further modified to any extent in the following ways: (i) substitution to the indazole ring to any extent, (ii) substitution to the phenyl, benzyl, naphthyl, adamantyl, cyclopropyl, or propionaldehyde group to any extent, (iii) a nitrogen heterocyclic analog of the indazole ring, or (iv) a nitrogen heterocyclic analog of the phenyl, benzyl, naphthyl, adamantyl, or cyclopropyl ring. Substances in this class include, but are not limited to: AKB-48, fluoro-AKB-48, APINCACA, AB-PINACA, AB-FUBINACA, ADB-FUBINACA, and ADB-PINACA.
- p. Indazole carboxylic acids. Any compound structurally derived from 1H-indazole-3-carboxylic acid or 1H-indazole-2-carboxylic acid substituted in both of the following ways:
1. At the nitrogen atom of the indazole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl,

- cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, tetrahydropyranylmethyl, benzyl, or halo benzyl group; and
2. At the hydroxyl group of the carboxylic acid by a phenyl, benzyl, naphthyl, adamantyl, cyclopropyl, or propionaldehyde group; whether or not the compound is further modified to any extent in the following ways: (i) substitution to the indazole ring to any extent, (ii) substitution to the phenyl, benzyl, naphthyl, adamantyl, cyclopropyl, or propionaldehyde group to any extent, (iii) a nitrogen heterocyclic analog of the indazole ring, or (iv) a nitrogen heterocyclic analog of the phenyl, benzyl, naphthyl, adamantyl, or cyclopropyl ring.
- q. Carbazoles. Any compound containing a carbazole ring system with a substituent on the nitrogen atom and bearing an additional substituent at the 1, 2, or 3 position of the carbazole ring system, with a linkage connecting the ring system to the substituent:
1. Where the linkage connecting the carbazole ring system to the substituent if its 1, 2, or 3 position is any of the following: Alkyl, Carbonyl, Ester, Thione, Thioester, Amino, Alkylamino, Amido, or Alkylamido.
 2. Where the substituent at the 1, 2, or 3 position of the carbazole ring system, disregarding the linkage, is any of the following groups: Naphthyl, Quinolinyl, Adamantyl, Phenyl, Cycloalkyl (limited to cyclopropyl, cyclobutyl, cyclopentyl, or cyclohexyl), Biphenyl, Alkylamido (limited to ethylamido, propylamido, butanamido, pentamido), Benzyl, Carboxylic acid, Ester, Ether, Phenylpropylamido, or Phenylpropylamino; whether or not further substituted in either of the following ways: (i) the substituent at the 1, 2, or 3 position of the carbazole ring system, disregarding the linkage, is further substituted to any extent (ii) further substitution on the carbazole ring system to any extent. This class includes, but is not limited to, the following: MDMB CHMCZCA, EG-018, and EG-2201.
- r. Naphthoynaphthalenes. Any compound structurally derived from naphthalene-1-yl-(naphthalene-1-yl) methanone with substitutions on either of the naphthalene rings to any extent. Substances in this class include, but are not limited to: CB-13. (1971, c. 919, s. 1; 1973, c. 476, s. 128; c. 844; c. 1358, ss. 4, 5, 15; 1975, c. 443, s. 1; c. 790; 1977, c. 667, s. 3; c. 891, s. 1; 1979, c. 434, s. 1; 1981, c. 51, s. 9; 1983, c. 695, s. 1; 1985, c. 172, ss. 1-3; 1987, c. 412, ss. 1-5; 1989 (Reg. Sess., 1990), c. 1040, s. 1; 1993, c. 319, ss. 1, 2; 1995, c. 186, ss. 1-3; c. 509, s. 135.1(c); 1997-456, ss. 12, 27; 1999-165, s. 1; 2000-140, s. 92.2(a); 2011-12, s. 1; 2011-326, s. 14(a), (b); 2015-162, s. 1; 2015-264, s. 13; 2017-115, s. 3.)